

AL-MUHAJIR

YOUR PARTNER IN GLOBAL TRADE

شركة المهاجر

MOBILITY COLLECTION

كتالوج الدراجات والسكوترات

E-SCOOTERS / E-BIKES / MOTORCYCLES



96 MODELS / 147 PRICED CONFIGURATIONS

OCTOBER 2026 | USD PER UNIT

+972 55-551-5589

+972 59-396-9443 | +972 59-396-9446

info@almuhajir.co | www.almuhajir.co

Nablus - Palestine

MODEL DIRECTORY

دليل الموديلات

KUGOO V1	4	LD-11	34
KUGOO Max Speed	5	LD-13	35
KUGOO M4 Pro	6	LD-15	36
KUGOO M4 Pro Max	7	LD-17	37
KUGOO M3 Pro	8	LD-20	38
KUGOO M5 Pro	9	LD-21	39
KUGOO EC02 pro	10	LD-22	40
KUGOO C2 Pro	11	LD-27	41
KUGOO C2	12	LD-32	42
KUGOO F1 Pro	13	LD-34	43
KUGOO F1 Pro Max	14	LD-35	44
KUGOO F3 pro	15	LD-37	45
KUGOO F3 Plus	16	LD-39	46
KUGOO F3 pro max	17	LD-42	47
KUGOO F2 Max	18	LD-48	48
KUGOO F2 Pro Max	19	LD-54	49
KUGOO F4 Max	20	LD-65	50
KUGOO LX10 pro	21	LD-67	51
KUGOO LX 11+	22	LD-69	52
KUGOO Wish 01	23	LD-71	53
KUGOO Wish 02 Pro	24	LD-72	54
KUGOO TANK	25	LD-73	55
LD-1	26	LD-76	56
LD-2	27	LD-77	57
LD-3	28	LD-78	58
LD-4	29	LD-91	59
LD-5	30	LD-92	60
LD-6	31	LD-95	61
LD-7	32	LD-97	62
LD-9	33	LD-98	63

MODEL DIRECTORY

دليل الموديلات

LD-104	64	LD-151	94
LD-106	65	LD-153	95
LD-107	66	LD-154	96
LD-110	67	LD-155	97
LD-111	68	LD-156	98
LD-112	69	LD-157	99
LD-114	70		
LD-115	71		
LD-116	72		
LD-117	73		
LD-120	74		
LD-122	75		
LD-123	76		
LD-124	77		
LD-125	78		
LD-127	79		
LD-128	80		
LD-130	81		
LD-131	82		
LD-132	83		
LD-133	84		
LD-134	85		
LD-135	86		
LD-139	87		
LD-144	88		
LD-145	89		
LD-146	90		
LD-147	91		
LD-149	92		
LD-150	93		

KUGOO COLLECTION

KUGOO V1

\$282.20

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$282.20

TECHNICAL SPECIFICATIONS

Motor: 400W Integrated iron wheel motor
Peak Power: 500W
Max Speed: 45km/h(shift gears: 0-15-25 -35 -45km/h)
Maximum speed: 562 rpm/min
Maximum output torque: 17.1 Nm/S
Battery: 48V 7.8AH 18650 lithium battery
Max mileage: Pure electric: 23KM/pure power-assisted: 32KM
Max Loading: 120kg
Climbing: 15°

Waterproof: IP54
Charge time: 6 hours
Tires: 14inch Tires
LED Center Display Screen
Front and Rear Dual shock absorbers
Brake: Mechanical disc brake
Front lighting lamp,Taillight,Turn signal, Folding
N.W./G.W: 21.5kg/24kg
Packing size:1065*225*505MM

AL-MUHAJIR

KUGOO COLLECTION

KUGOO Max Speed

\$323.65

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$323.65

TECHNICAL SPECIFICATIONS

Motor: 600W brushless motor Peak Power: 800W
Max Speed: 42km/h(1 gear 19km/h-2 gear 37km/h-3gear 42km/h)
Maximum speed: 1000 rpm/min
Maximum output torque: 24 Nm/S
Battery: 48V 10.4AH 18650 lithium battery
Max mileage: 30KM
Max Loading: 120kg
Climbing: 15°

Waterproof: IPX4
Charge time: 6 hours
Tires: 10inch Tires
LED Center-Mounted Display Screen
Front and Rear Dual shock absorbers
Brake: The disc brake discharges the brake
Front lighting lamp,Taillight,Turn signal, Folding
N.W./G.W: 28.8kg/30.26kg
Packing size:115*28*47CM

AL-MUHAJIR

KUGOO COLLECTION

KUGOO M4 Pro

\$381.27

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$381.27

TECHNICAL SPECIFICATIONS

Motor: 600W
Peak Power: 800W
Max Speed: 42km/h(1 gear 18km/h-2 gear 37km/h-3gear 42km/h)
Battery: 48V 18.2AH
Max mileage: 35-45KM
Max Loading: 120kg
Climbing: 25°
Waterproof: IPX4

Charge time: 7-10 hours
Tires: 10inch Tires
Front and Rear Dual shock absorbers
Brake: Disc brake
TF-M13 Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 25.5kg/32.3kg
Packing size:120*27.5*50mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO M4 Pro Max

\$484.81

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$484.81

TECHNICAL SPECIFICATIONS

Motor: 600W Peak Power: 800W
115 core 35H high-speed brushless motor
Max Speed: 49km/h(1 gear 24km/h-2 gear 39km/h-3gear 49km/h)
Maximum speed: 1020 rpm
Maximum output torque: 30 Nm
Battery: 48V 18.2AH
Max mileage: 55-60KM
Max Loading: 120kg
Climbing: 40°

Waterproof: IPX5
Charge time: 7-10 hours
Tires: 10inch Tires
LED Center-Mounted 4.08inch Display Screen
Front and Rear Dual shock absorbers
Brake: Mechanical brake + electronic brake
TF-M13 Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 30.72kg/35.52kg
Packing size:1395x260x475mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO M3 Pro

\$502.28

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$502.28

TECHNICAL SPECIFICATIONS

Motor: 600W Peak Power: 950W
Dc brushless integrated motor
Max Speed: 41km/h(1 gear 20km/h-2 gear 31km/h-3gear 41km/h)
Maximum speed: 1000rpm±20rpm
Maximum output torque: 20A≥22Nm/100rpm
Battery: 48V 18.2AH
Max mileage: 52KM
Max Loading: 120kg
Climbing: 40°

Waterproof: IPX4
Charge time: 7-10 hours
Tires: 10inch Tires
LED Center-Mounted 4.08inch Display Screen
Front and Rear Dual shock absorbers
Brake: Mechanical brake + electronic brake
LCD display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 25.5kg/31.5kg
Packing size:1345*290*595mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO M5 Pro

\$553.53

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$553.53

TECHNICAL SPECIFICATIONS

Motor: 1200W Peak Power: 1500W
Dc brushless integrated motor
Max Speed: 45km/h(1 gear 17km/h-2 gear 30km/h-3gear 45km/h)
Maximum speed: 1253.8rpm±20rpm
Maximum output torque: 28.6Nm
Battery: 48V 20.8AH
Max mileage: 50-60KM
Max Loading: 120kg
Climbing: 20°

Waterproof: IPX4
Charge time: 7-8 hours
Tires: 11inch Front Tire&10inch Rear tire
LED Center-Mounted 4.08inch Display Screen
Front and Rear hydraulic shock absorber
Brake: Mechanical brake + electronic brake
LCD display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 36kg/41.5kg
Packing size:1300*275*500mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO EC02 pro

\$378.33

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$378.33

TECHNICAL SPECIFICATIONS

Motor: 500W brushless
Peak Power: 1200W
Max Speed: 42km/h(1 gear 31km/h-2gear 39km/h-3gear 42km/h))
Battery: 48V 20.8AH
Max mileage: 50-55KM
Maximum speed: 490rpm
Maximum output torque: 52N.M
Max Loading: 120kg
Climbing: 15°

Waterproof: IP67
Charge time: 7-10 hours
Tires: 14inch Tires
Front and Rear Dual shock absorbers
Front: Iron 110 hub brake, rear: aluminum 110 hub brake
Liquid crystal Digital instrument display
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 40.1kg/47.5kg
Packing size:1260*300*650mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO C2 Pro

\$476.93

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 15.6AH mileage:40-50km

\$476.93

TECHNICAL SPECIFICATIONS

Motor: 1200W Dc brushless permanent magnet synchronous
 Peak Power: 1400W
 Max Speed: 53km/h(1 gear 23km/h-2gear 38km/h-3gear 53km/h))
 Battery: 48V 18.2AH
 Max mileage: 50-55KM
 Maximum speed: 900rpm
 Maximum output torque: 47N.M
 Max Loading: 120kg
 Climbing: 30°

Waterproof: IPX4
 Charge time: 7-10 hours
 Tires: 13inch Tires
 Front and Rear Dual shock absorbers
 Brake: Oil brake
 Liquid crystal display screen
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 43kg/56.5kg
 Packing size:1400x570x360mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO C2

\$509.73

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 18.2AH mileage 50-55km

\$509.73

TECHNICAL SPECIFICATIONS

Motor: 1200W Dc brushless permanent magnet synchronous
 Peak Power: 1400W
 Max Speed: 53km/h(1 gear 23km/h-2gear 38km/h-3gear 53km/h))
 Battery: 48V 18.2AH
 Max mileage: 50-55KM
 Maximum speed: 900rpm
 Maximum output torque: 47N.M
 Max Loading: 120kg
 Climbing: 30°

Waterproof: IPX4
 Charge time: 7-10 hours
 Tires: 13inch Tires
 Front and Rear Dual shock absorbers
 Brake: Oil brake
 Liquid crystal display screen
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 43kg/56.5kg
 Packing size:1400x570x360mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F1 Pro

\$387.89

USD / UNIT



CONFIGURATION / UNIT PRICE

Single Motor 800W Peak Power 1000W Max speed 45km/h 48V 18AH mileage 50-55km Disc brake

\$387.89

TECHNICAL SPECIFICATIONS

Motor: 800W brushless motor & 800W*2 dual motor
Peak Power: 1000W & 2000W
Max Speed: 45km/h(1 gear 20km/h-2 gear 33km/h-3gear 45km/h),& 60km/h
Battery: 48V 18AH 22.5AH
Max mileage: 48-53KM(Speed 25km/h-load 75kg)
Maximum speed: 1130 rpm
Maximum output torque: 32N.M
Max Loading: 120kg

Climbing: 15°
Waterproof: IPX4
Charge time: 6-8 hours Tire size: 10inch tires
Front and Rear Dual shock absorbers
Brake: Disc brake& Oil brake
Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 29.4kg/34.9kg& 33.4kg/39.1kg
Packing size:127.5*23*59cm &127.5*23*61cm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F1 Pro Max

\$510.67

USD / UNIT



CONFIGURATION / UNIT PRICE

Dual motor 1600W 2000W Peak power Max speed 60km/h 48V 22.5AH mileage 55-67km Oil Brake

\$510.67

TECHNICAL SPECIFICATIONS

Motor: 800W brushless motor & 800W*2 dual motor
 Peak Power: 1000W & 2000W
 Max Speed: 45km/h(1 gear 20km/h-2 gear 33km/h-3gear 45km/h), & 60km/h
 Battery: 48V 18AH 22.5AH
 Max mileage: 48-53KM(Speed 25km/h-load 75kg)
 Maximum speed: 1130 rpm
 Maximum output torque: 32N.M
 Max Loading: 120kg

Climbing: 15°
 Waterproof: IPX4
 Charge time: 6-8 hours Tire size: 10inch tires
 Front and Rear Dual shock absorbers
 Brake: Disc brake & Oil brake
 Liquid crystal display screen
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 29.4kg/34.9kg & 33.4kg/39.1kg
 Packing size: 127.5*23*59cm & 127.5*23*61cm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F3 pro

\$477.19

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$477.19

TECHNICAL SPECIFICATIONS

Motor: 600W
Peak Power: 900W
Max Speed: 45km/h(1 gear 20km/h-2 gear 33km/h-3gear 45km/h)
Battery: 48V 15.6AH
Max mileage: 50-60KM
Max Loading: 120kg
Climbing: 20°

Waterproof: IPX4
Charge time: 6-8 hours 10inch tires
Front and Rear Dual shock absorbers
Brake: Disc brake + electronic brake
Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 26.3kg/34.7kg
Packing size:1240*250*630mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F3 Plus

\$539.27

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$539.27

TECHNICAL SPECIFICATIONS

Motor: 1000W
Peak Power: 1344W
Max Speed: 51km/h(1 gear 24.5km/h-2 gear 37.5km/h-3gear 51km/h)
Battery: 48V 20.8AH
Max mileage: 75-80KM
Max Loading: 120kg
Climbing: 20°
Waterproof: IPX4

Charge time: 7-10 hours
Tires: 10inch Tires
Front and Rear Dual shock absorbers
Brake: Disc brake + electronic brake
Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 30kg/36kg
Packing size:1300*280*630mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F3 pro max

\$741.32

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$741.32

TECHNICAL SPECIFICATIONS

Motor: 2200W(1100W*2 dual motor)
 Peak Power: 2800W
 Max Speed: 63km/h(1 gear 27.5km/h-2 gear 48km/h-3gear 63km/h)
 Battery: 52V 23.4AH
 Max mileage: 85-91KM
 Max Loading: 130kg
 Climbing: 25°

Waterproof: IPX4
 Charge time: 7-10 hours
 Front and Rear Dual shock absorbers
 Brake: Disc brake + electronic brake
 Liquid crystal display screen
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 33kg/39kg
 Packing size:1325*265*585mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F2 Max

\$462.64

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$462.64

TECHNICAL SPECIFICATIONS

Motor: 800W
Peak Power: 1000W
Max Speed: 50km/h(1 -2-3 gears speed adjusted)
Battery: 48V 22.5AH
Max mileage: 50-55KM
Maximum speed: 1130 rpm
Maximum output torque: 32N.M
Max Loading: 120kg
Climbing: 15°

Waterproof: IPX4
Charge time: 7-10 hours
Tires: 10inch Tires
Front and Rear Dual shock absorbers
Brake: Disc brake
Liquid crystal display screen
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 30.5kg/36kg
Packing size:131*24.5*59cm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F2 Pro Max

\$621.15

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$621.15

TECHNICAL SPECIFICATIONS

Motor: 1600W(800*2 dual motor)
 Peak Power: 2000W (1000W*2 dual motor)
 Max Speed: 60km/h(1 -2-3 gears speed adjusted)
 Battery: 52V 22.5AH
 Max mileage: 50-55KM
 Maximum speed: 1230±30r/min
 Maximum output torque: 32N.M
 Max Loading: 120kg
 Climbing: 15°
 Waterproof: IPX4

Charge time: 7-10 hours
 Tires: 10inch Tires
 Front and Rear Dual shock absorbers
 Brake: Oil brake
 Liquid crystal display screen
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 30.5kg/36kg
 Packing size:131*24.5*59cm
 Packing size:1310*245*570mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO F4 Max

\$873.67

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$873.67

TECHNICAL SPECIFICATIONS

Motor: 1400W Peak Power: 1600W
Permanent Magnet DC Synchronous Motor
Max Speed: 75km/h(1 gear 37km/h-2 gear 52km/h-3gear 75km/h)
Maximum speed: 1790 rpm
Maximum output torque: 32A≥37Nm
Battery: 60V 23AH
Max mileage: 100KM
Max Loading: 150kg
Climbing: 30°

Waterproof: IPX5
Charge time: 8-10 hours
Tires: 10inch Tires
LED Center-Mounted 4.08inch Display Screen
Front and Rear Dual shock absorbers
Brake: Hydraulic disc brake+electronic brake
Front lighting lamp, Taillight, Turn signal
Folding
N.W./G.W: 36.3kg/47.5kg
Packing size:1320x300x590mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO LX10 pro

\$879.38

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$879.38

TECHNICAL SPECIFICATIONS

Motor: 1400W Peak Power: 1600W
 Permanent Magnet DC Synchronous Motor
 Max Speed: 75km/h(1 gear 37km/h-2 gear 52km/h-3gear 75km/h)
 Maximum speed: 1790 rpm
 Maximum output torque: 32A≥37Nm
 Battery: 60V 20.8AH
 Max mileage: 100KM
 Max Loading: 150kg
 Climbing: 40°
 Waterproof: IPX5
 Charge time: 8-10 hours

Tires: 10inch Tires
 LED Center-Mounted 4.08inch Display Screen : Bluetooth, Lock Car, Cruise Control, Fault, Gear, Single Trip Mileage, Total Mileage, Speed, Power, Metric/Imperial Units, Battery LevelMetric/Imperial conversion, shutdown time, startup settings, brake intensity, startup intensity, restore default settings
 Front and Rear Dual shock absorbers
 Brake: Front and rear hydraulic brakes
 Front lighting lamp, Taillight, Turn signal
 Folding
 N.W./G.W: 36.3kg/47.5kg
 Packing size:1320x300x590mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO LX 11+

\$1,295.57

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$1,295.57

TECHNICAL SPECIFICATIONS

Motor: 1500W Peak Power: 2200W
 Permanent Magnet DC Synchronous Motor
 Max Speed: 85km/h(1 gear 34km/h-2 gear 60km/h-3gear 85km/h)
 Maximum speed: 1950 rpm
 Maximum output torque: 45A≥45Nm
 Battery: 60V 31.2AH
 Max mileage: 160KM
 Max Loading: 150kg
 Climbing: 40°

Waterproof: IPX4
 Charge time: 8-10 hours
 In/out put voltage (V) : 100-240V MAX2A 67.2V3A
 Tires: 11inch Tires
 LED Center-Mounted 4.08inch Display Screen
 Front and Rear Dual shock absorbers
 Brake: Front and rear hydraulic brakes
 Front lighting lamp,Taillight,Turn signal
 Folding
 N.W./G.W: 36.3kg/47.5kg
 Packing size:1320x300x590mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO Wish 01

\$770.45

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$770.45

TECHNICAL SPECIFICATIONS

Motor: 1500W , Peak Power: 3200W
115 core 35H high-speed brushless motor
Max Speed: 70km/h Gear 1:25 km /H, Gear 2:35 km /H, Gear 3:50KM/H
Max RPM: 3200RPM
Battery: 48V 20.8AH
Max mileage: 30-50KM
Max Loading: 130kg
Climbing: 30°

Waterproof: IPX4
Charge time: 6-8 hours
Tires: 14inch Tires
LED Center-Mounted 4.08inch Display Screen
Front and Rear Dual shock absorbers
Brake: Double oil discs
Front headlight: dual-bulb high-beam headlight
Tail light: integrated tail light
N.W./G.W: 45kg/55kg
Packing size:127.6*27.6*74.5CM

AL-MUHAJIR

KUGOO COLLECTION

KUGOO Wish 02 Pro

\$936.70

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$936.70

TECHNICAL SPECIFICATIONS

Motor: 2500W , Peak Power: 4000W
 115 core 35H high-speed brushless motor
 Max Speed: 70km/h
 Maximum speed: 5200RPM(67.2V on full charge)
 Max output torque: 8.4N.M(motor output shaft) 19.7N.M
 (gearbox output shaft) 71.9NM(rear wheel shaft)
 Battery: 60V 27AH
 Max mileage: 55-60KM
 Max Loading: 150kg
 Climbing: 40°

Waterproof: IPX4
 Charge time: 5-6 hours
 Tires: 16inch Tires
 LED Center-Mounted 4.08inch Display Screen
 Front and Rear Dual shock absorbers
 Brake: Double oil discs
 LCD display: 35H_AV screen
 Front headlight: 60V/15W dual-bulb high-beam headlight
 Tail light: 60V/0.5W integrated tail light
 N.W./G.W: 59.5kg/62.5kg
 Packing size:1525*420*840mm

AL-MUHAJIR

KUGOO COLLECTION

KUGOO TANK

\$907.48

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$907.48

TECHNICAL SPECIFICATIONS

Oil motorcycle 170CC Material : iron
 Motor: 7000W , Peak Power: 10000W
 Engine Type: Single-cylinder, four-stroke, forced air-cooled, horizontal cylinder type
 Max Speed: 88km/h
 Maximum speed: 6500RPM
 Max output torque: 11N.m/5000rpm
 19.7N.M (gearbox output shaft) 71.9NM(rear wheel shaft)
 Battery: 12V7Ah Lead-acid
 Fuel tank capacity (L): 7.1L
 Min.Fuel Consumption(g/Kw.h): <=354 g/kW.h
 engine capacity: 168.9ml
 Max Loading: 150kg

Climbing: 40°
 Waterproof: IPX4
 Charge time: 5-6 hours
 Tires: 120/70-12
 LED Center-Mounted 4.08inch Display Screen
 Front and Rear Dual hydraulic shock absorber
 Brake: Double Hydraulic Disk
 Liquid crystal display screen: VA color screen
 LED of Front lighting lamp&Taillight&Turn signal
 Tail light: 60V/0.5W integrated tail light
 Body size:1930x725x1200mm
 N.W./G.W: 119kg/144kg
 Packing size:1790*540*870mm

AL-MUHAJIR

LD COLLECTION

LD-1

FROM \$89.77

USD / UNIT



CONFIGURATION / UNIT PRICE

14.4V / 2000mah (4section) No lights	\$89.77
21.6V 2000mah / (6section) Colorful Flashing side lights and pole lights	\$101.34

TECHNICAL SPECIFICATIONS

Battery: Kairi A class 21.6V 2000mAh
 Tire size: Front wheel 135*50
 PU flash, rear wheel 3.5 inch motor with light
 Maximum speed: 8km/h
 Mileage: 8-10 km
 Motor power: 60W

Maximum load: 60kg
 Charging time: 3-4 hours
 Charger: 25.2V0.4A
 Charging voltage: AC 110-240V, 50-60Hz
 1 Net weight: 4.5kg
 3 pcs Gross weight: 17kg
 Packing size: 65.5x54x34CM

AL-MUHAJIR

LD COLLECTION

LD-2

\$95.30

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$95.30

TECHNICAL SPECIFICATIONS

Motor (W) : 130W brushless motor
Battery V/ capacity: 21.6V 2600mah
Battery type: Lithium battery 18650(Dongci)
Max speed: 8-12KM/H
mileage: 10-12 km

Max load: 70kg
Charging time: 3-4 hours
Charger: 25.2V 0.7A
Frame material: Aluminum alloy
Tire type: 6.5-inch rubber tires
Net weight (kg) : 6.8kg

AL-MUHAJIR

LD COLLECTION

LD-3

\$112.54

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$112.54

TECHNICAL SPECIFICATIONS

Frame material: ABS
Battery voltage: 21.6V
Motor: 180W
Max Speed: 13km/h
Gear position: 3 Gears(3-5-8km/h)
Charging time: 3 to 4hours

Charger: 25.2V0.6V, 110-240V
Tire size: 6.5 inches Rubber tires Durable
Max loading: 60kg
Net weight (kg) : 7.4kg
Gross weight (kg) : 8.9kg
Product size :67.5X38.5X18.5CM
Outer box size :71.5X40.5X18.5CM

AL-MUHAJIR

LD COLLECTION

LD-4

\$110.29

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$110.29

TECHNICAL SPECIFICATIONS

Motor (W) : 130W brushless motor
Battery V/ capacity: 21.6V 2600mah
Battery type: Lithium battery 18650(Dongci)
Max speed: 8-12KM/H
mileage: 10-12 km
Max load: 70kg
Charging time: 3-4 hours
Charger: 25.2V 0.7A

Frame material: Aluminum alloy
Lights: Pedal breathing light taillight
brake type: Foot brake electronic brake
Tire type: 6.5-inch rubber tires
Net weight (kg) : 6.8kg
Gross weight (kg) : 8.1kg
Product size : 78X32X92CM
Outer box size : 80X16X37CM

AL-MUHAJIR

LD COLLECTION

LD-5

\$119.93

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$119.93

TECHNICAL SPECIFICATIONS

Battery: Kairi A class 24V 25000mAh
 Motor: 130W brushless motor
 Max Speed: 16KM
 Battery: 24v 2.5ah
 Mileage: 8-10KM Mileage
 Charging time: 3-4hours
 Charging voltage: AC 25.2V 0.6A

MAX loading: 70KG
 Tire size: Front wheel 6.5 "rear 5.5" motor
 Net weight: 6.8KG
 Gross weight: 8.1KG
 Packing size : 80*16*37CM
 intelligent controller
 Pedal breathing light, main pole light
 Product: 78X32X92CM

AL-MUHAJIR

LD COLLECTION

LD-6

\$135.85

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$135.85

TECHNICAL SPECIFICATIONS

Tires: Front 6.5"rubber tire, rear 6.5" motor
 Motor(w): 130W
 Batteryv/capacity: 21.6V 5200mAh
 Battery type: Lthium18650(Dongci)
 Maximum speed: 3 Gear (8-13-16KM/H)
 Mileage: 10-12KM
 Load capacity: 70kg

Charging time: 3-4H
 charger: 25.2V1.0A
 Frame material: aluminum alloy,iron,nylon
 Lights:Pedal breathinglight, stem lights
 Brake Type:Foot Brake, Electronic Brake
 Net/Gross weight (kg):9.7kg /11.2kg
 Packingmethod: kraft paper box
 Product size: 92X33X100CM

AL-MUHAJIR

LD COLLECTION

LD-7

\$266.69

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$266.69

TECHNICAL SPECIFICATIONS

Tire size: 16 inch tire
Seat: Double Seat
Power: 24v 300W hub motor
speed: 3 speeds(12-20-30km/h)
Battery: Lithium battery 24V 6AH
Max mileage: 15-18km
Charging time: 3-4hours
Tyre:1.2bar

Max Loading: 75kg
brake accelerator: Finger dial pressure
Brake: Disc Brake
ground clearance: 7.5cm
G.W/N.W:20.5kgs/16kgs
Product Size (L*W*H): 86*37*97cm
Carton Size: 98x29x49cm
CERTIFICATE: CE, EN71,UL2272

AL-MUHAJIR

LD COLLECTION

LD-9

\$179.33

USD / UNIT



CONFIGURATION / UNIT PRICE

36v 10.4ah 7.8AH / 20-30km/h

\$179.33

TECHNICAL SPECIFICATIONS

Tire size: 8.5 inch
Max load:120kg
Max speed: 30km/h
Motor power:350W
Battery: 36V/10.4Ah
mileage:28-35km

Charging time:5~8 hours
Charging voltage
AC 110-240V, 50-60Hz
Max climbing angles: 10-15°
Net weight:14kg
Gross weight:17.5kg
Packing size:1186*176*555MM

AL-MUHAJIR

LD COLLECTION

LD-11

\$206.20

USD / UNIT



CONFIGURATION / UNIT PRICE

36V 10.4ah 7.8AH Front and rear shock absorber

\$206.20

TECHNICAL SPECIFICATIONS

Tire size: 8.5 inch
Max load:120kg
Max speed: 30km/h
Motor power:350W
Battery: 36V/10.4Ah
mileage:28-35km

Charging time:5~8 hours
Charging voltage
AC 110-240V, 50-60Hz
Max climbing angles: 10-15°
Net weight:14kg
Gross weight:17.5kg
Packing size:1186*176*555MM

AL-MUHAJIR

LD COLLECTION

LD-13

FROM \$251.97

USD / UNIT



CONFIGURATION / UNIT PRICE

10ah / 25-45km	\$251.97
12ah / 35-55km	\$270.40

TECHNICAL SPECIFICATIONS

Black and White
Tire Size:14 inch vacuum tire
Motor Power: 400W154 motor
Maximum speed: 25-30KM/H
Max Battery: 36v 12ah , pure battery life of 35 km
Power range 50-60 km
Brake: Front and rear disc brakes

Light: Front and rear headlights private model, front and rear lights, brake lights
Frame Martiral: High brightness paint Front shock-absorbing
Frame shock-absorbing
Electric display speed regulating handle "high-end half acceleration handle"
Product weight: 22 kg
Packing weight:26.8kg
Packing size:121*22*70cm

LD COLLECTION

LD-15

FROM \$239.77

USD / UNIT



CONFIGURATION / UNIT PRICE

10ah / 20-25km

\$239.77

12ah / 30-35km

\$259.66

TECHNICAL SPECIFICATIONS

Tire size: 10 inch
 with bluetooth APP
 Material: Aluminum alloy
 Max load:120kg
 Max speed: 30-33km/h
 Motor power:36v 500W
 Charging time:6-9 hours
 Charging voltage

Battery: 36v 10ah-15ah
 mileage:45-60km Strong
 AC 110-240V, 50-60Hz
 Max climbing angles: 15~20°
 Net weight:17.5kg
 Gross weight:20.5kg
 Product size: 1170*170*1180mm
 Folding size: 1170*170*54mm
 Packing size:118*20*59cm

AL-MUHAJIR

LD COLLECTION

LD-17

FROM \$254.52

USD / UNIT



CONFIGURATION / UNIT PRICE

10ah / 20-30km	\$254.52
12ah / 30-40km	\$262.59
15ah / 40-45km	\$275.05

TECHNICAL SPECIFICATIONS

Tire size: 10 inch
with bluetooth APP
Material: Aluminum alloy
Max load:120kg
Max speed: 30-33km/h
Motor power:36v 500W
Charging time:6-9 hours
Charging voltage

Battery: 36v 10ah-15ah
mileage:45-60km Strong
AC 110-240V, 50-60Hz
Max climbing angles: 15~20°
Net weight:17.5kg
Gross weight:20.5kg
Product size: 1170*170*1180mm
Folding size: 1170*170*54mm
Packing size:118*20*59cm

AL-MUHAJIR

LD COLLECTION

LD-20

\$332.41

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$332.41

TECHNICAL SPECIFICATIONS

Battery capacity: 36V 10Ah
Motor Power: 36V 250W
Wheel size: 14" inch
Frame material: Steel
Max speed: 25km/h
Display: LCD of Battery level

Brake: Front & rear disc brake
Work model: Pure power, Power assist & pedal
Features: Small size and unique look
Product size: 1150*487*1023mm
Product weight: 19.1 kg
Packing size: 119*22*62.5cm

AL-MUHAJIR

LD COLLECTION

LD-21

\$309.45

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$309.45
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame Material: High-strength Steel

2. Tire Size: 14-inch Pneumatic Tire

3. Motor Power: 600W

4. Battery Voltage/Capacity: 36V/10Ah

5. Maximum Load: 120KG

6. Maximum Speed: 35km/h
7. Maximum Range: 35km

8. Drive Mode: Rear-wheel Drive

9. Braking Method: Dual Disc Brakes

10. Shock Absorption: Front Suspension System

11. Waterproof Rating: IPX4

12. Net Weight/Gross Weight: 28.5kg /33.5kg

13. Package Dimensions: 125 * 25 * 60CM

LD COLLECTION

LD-22

FROM \$199.87

USD / UNIT



CONFIGURATION / UNIT PRICE

48V10Ah / 20-30km	\$199.87
48V12Ah / 30-40km	\$239.31
48V15Ah / 40-50km	\$257.43
48V25Ah / 50-70km	\$311.79
48V30Ah / 80-120km	\$402.39

TECHNICAL SPECIFICATIONS

14 "inch folding bicycle
Front fork: shock-proof iron front fork
Battery: 48V * 15ah-25ah Power Cruise 40-60km
Motor: 48V * 400W
Max speed: 25-35KM/H
Brake mode: front and rear disc brakes

Tire size 14*2.125"
Instrument: Instrument Display: speed, power gear, electric quantity, power switch system, headlight switch system, alarm and other display and control
N.W./G.Wt:24kg/35kg
Packing size:129*21*62cm

LD COLLECTION

LD-27

FROM \$264.54

USD / UNIT



CONFIGURATION / UNIT PRICE

48V10Ah / 20-30km	\$264.54
48V12Ah / 30-40km	\$291.48
48V15Ah / 40-50km	\$332.41
48V25Ah / 50-70km	\$405.51
48V30Ah / 75-120km	\$442.06

TECHNICAL SPECIFICATIONS

Motor power :48V 500W
 Battery :48V 13ah 15ah lithium battery
 Braking mode; Disc brake + electronic brake
 Tires: vacuum tires
 Maximum speed :35-40KM/H
 Remote control anti-theft + alarm
 LCD turn handle

Front and rear cushioned seats with smart rear taillights
 USB phone charging
 Frame: high carbon steel
 Constant cruising
 Maximum load :200KG
 N.W./G.W: 25kg/35kg
 Packing size :131*23*70cm

AL-MUHAJIR

LD COLLECTION

LD-32

FROM \$280.39

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 13ah / 25-35km	\$280.39
48V 15ah / 35-45km	\$307.10

TECHNICAL SPECIFICATIONS

10 inch tubeless tires,
48V 500W full-power motor, rear-wheel drive,
max speed 35-43km/h, 10ah/13ah battery
front electronic brake, rear disc brake, aluminum alloy

easy-lock folding stem tube
LCD instrument panel showing battery level, gear position,
mileage,
front LED lens headlights, rear taillights, and rear brake
strobe lights

LD COLLECTION

LD-34

\$320.85

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$320.85
------------------------	----------

TECHNICAL SPECIFICATIONS

Frame Material: Alloy Steel
Powerful Motor: 48v 500w High speed brushless (Rear drive)
Lithium-ion battery:48v 10ah
Max speed: 30-35km/h
Pure electric range 30km, Assisted range 40-50km
Gradeability : 25°
Big Smart Color Display

Max Loading: 150kg
Waterproof Rating:IPX7
Charging Time : 5-6hours
Safe& Reliable: BMS
Brake Device: Dual Mechanical Disc Brakes
UPGRADED FORK DAMPING
Packing Size :137*22.5*71cm
Gross weight:28KG

LD COLLECTION

LD-35

FROM \$322.92

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 10Ah / 30-40km

\$322.92

48V 15ah / 40-45km

\$338.94

TECHNICAL SPECIFICATIONS

1. Frame: Aluminum alloy/folding
2. Tire size: 10 off-road inflatable tires
3. Motor power :800 w
4. Battery voltage/capacity :48v/15ah
5. Maximum load: 120KG
6. Maximum speed : 40km/h
7. Endurance :35-40KM
8. Drive mode: rear wheel drive
9. Braking method: double disc brake
10. Shock absorption: front and rear dual suspension
11. Waterproof grade :IPX5
12. Net/gross weight :23.6kg/27.8kg
13. Package size :1180*260*485MM

AL-MUHAJIR

LD COLLECTION

LD-37

FROM \$390.28

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 15ah / 40-45km

\$390.28

48V 18ah / 45-55km

\$408.24

TECHNICAL SPECIFICATIONS

1. Frame: high-strength steel frame
2. Tire size: 14 inch pneumatic tires
3. Motor power :750w
4. Battery voltage/capacity :48v/18ah
5. Charging time: 8-10 hours
6. Maximum load: 120KG
7. Maximum speed :45km/h
8. Maximum mileage :45-50km
9. Drive mode: rear wheel drive
10. Braking method: double disc brake
11. Shock absorption: Front suspension system
12. Waterproof grade :IPX5
13. Net/gross weight :29.2kg/32.7kg
14. Packing size :120 * 25 * 60CM

AL-MUHAJIR

LD COLLECTION

LD-39

FROM \$381.12

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 15Ah / 35-45km	\$381.12
48V 20Ah / 50--60km	\$417.05
48V 30Ah / 60-90km	\$488.90

TECHNICAL SPECIFICATIONS

- 1.16-inch high-carbon steel frame, foldable, colors: black, white

2.16-3.0 tires, front and center shock absorbers, rear four-plastic-coated shock absorbers, front and rear wire brakes
3. Front LED lens headlights, front and rear turn signals, and a liquid crystal instrument panel can display battery level, speed, gear position, voltage, and mileage

4.48V800W high-speed power motor, front and rear integrated wheels, 9-tube controller, strong climbing force, idle speed over 50km/h, descent speed around 45km/h

5. Dual keys with dual anti-theft devices, 123-speed transmission, folding foot pedals, and foldable body

LD COLLECTION

LD-42

FROM \$404.47

USD / UNIT



CONFIGURATION / UNIT PRICE

15ah / 40-45km	\$404.47
25ah / 55-75KM	\$453.15
30Ah / 75-90km	\$489.08

TECHNICAL SPECIFICATIONS

1. 16-inch high-carbon steel frame, foldable, colors: black, white

2. 16-inch - 3.75 vacuum anti-explosion off-road tires, front shock absorber, front mechanical disc brake, rear hydraulic oil brake
3. Front LED lens headlights, front and rear turn signals, large LCD display can show battery level, speed, gear, voltage, mileage

4. 48V 800W high-speed power motor, front and rear integrated wheels, 9-channel controller, strong climbing force, idling speed above 50, driving speed around 45

5. Dual keys with dual anti-theft devices, 123-speed shift, folding pedals, body can be folded

LD COLLECTION

LD-48

FROM \$507.04

USD / UNIT



CONFIGURATION / UNIT PRICE

48v 12ah / 35-40km	\$507.04
48v 15ah / 45-55km	\$533.99
48v 18ah	\$560.93

TECHNICAL SPECIFICATIONS

wheel size: 20 inch, 4" fat tyre
Motor: 48V 750W motor
Power assisted
5 model and 7 Speed
10W LED front light
Removable Battery with key

Maximum Speed:45-50KM/H
Charging Time:7-10 hours
Dual Brake:Front and rear disc brakes
Dual Shock Absorber
Product Size (L*W*H): 170*70*105cm
Carton Size: 146*32*78cm 1pcs/CTN
N.W./G.W: 35kg/46kg

LD COLLECTION

LD-54

FROM \$253.76

USD / UNIT



CONFIGURATION / UNIT PRICE

48v 10ah / 25-30km	\$253.76
48v 12ah / 35-40km	\$281.64
48v 15ah / 45-55km	\$309.53

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
Max Mileage: 25-35km
Max Speed: 40km/h
Max Load : 12kg
Climbing Angle: 15-30°
Battery: 48v 10ah
Charging Time: 4-7 hrs

Motor Power: 500W Peak Power: 1000W
Tire: 14 "front and rear pneumatic tyre (widened)"
Waterproof: IP64
Brake: double disc brake
Light: Front & Rear LED with Brake Light
with Suspension
Gross weight: 26kg
Packing size: 126*22*64cm

AL-MUHAJIR

LD COLLECTION

LD-65

FROM \$320.24

USD / UNIT



CONFIGURATION / UNIT PRICE

13ah / 35-45km	\$320.24
15ah / 45-50km	\$396.90
18ah / 50-60KM	\$414.83

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
Max Mileage: 50-65km
Max Speed: 55km/h
Max Load : 150kg
Climbing Angle: 20-30°
Battery: 48v 18ah
Charging Time: 5-8 hrs

Motor Power: 1200W
Tire: Front 11", Rear 11" off road tires
Brake: double disc brake
Light: Front & Rear LED with Brake Light
Double Suspension
Packaging Weight: 30Kg
Packing size: 1160*320*340mm
Product size: 1167*472*1203mm

AL-MUHAJIR

LD COLLECTION

LD-67

\$449.80

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$449.80
------------------------	----------

TECHNICAL SPECIFICATIONS

Frame material: Aluminum alloy
Battery model: 18650 lithium battery
Motor power: 1200W
Tires: 11" inflated tires
Braking method: Mechanical disc brakes
Suspension system: Front and rear spring shock absorbers
Maximum load: 120kg
Maximum speed: 55km/h

Charging time: 6-9 hours
Lighting system: Front LED lights & rear brake lights + turn signals
Net weight/Gross weight: 28.7/32kg
Extended dimensions: 1220*655*1290MM
Packaging dimensions: 1260*225*610MM
Battery capacity: 48V 13AH
Driving range: 50km

LD COLLECTION

LD-69

FROM \$427.07

USD / UNIT



CONFIGURATION / UNIT PRICE

without Seat / 48V 13ah	\$427.07
without Seat / 48V 18ah	\$461.17

TECHNICAL SPECIFICATIONS

1. Frame: Material: aluminum alloy / foldable

2. Tire size: 11 off-road pneumatic tire

3. Motor power: 1600 w

4. Battery voltage/capacity: 48v/18ah

5. Maximum load capacity: 150KG

6. Maximum speed: 50 km/h

7. Range: 45-50KM
8. Drive mode: rear-wheel drive

9. Braking method: dual disc brake

10. Shock absorption: Front and rear dual suspension

11. Waterproof rating: IPX5

12. Net weight/Gross weight: 25.9kg/30.9kg

13. Unfolded dimensions: 128*66*133cm

14. Packaging size: 128*24*44.6CM

LD COLLECTION

LD-71

\$478.68

USD / UNIT



CONFIGURATION / UNIT PRICE

With Seat / 48V18ah	\$478.68
---------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame: Material: aluminum alloy / foldable

2. Tire size: 11 off-road pneumatic tire

3. Motor power: 1600 w

4. Battery voltage/capacity: 48v/18ah

5. Maximum load capacity: 150KG

6. Maximum speed: 50 km/h

7. Range: 45-50KM
8. Drive mode: rear-wheel drive

9. Braking method: dual disc brake

10. Shock absorption: Front and rear dual suspension

11. Waterproof rating: IPX5

12. Net weight/Gross weight: 25.9kg/30.9kg

13. Unfolded dimensions: 128*66*133cm

14. Packaging size: 128*24*44.6CM

LD COLLECTION

LD-72

\$503.45

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$503.45
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame Material: High-strength Steel

2. Tire Size: 11-inch Pneumatic Off-road Tire

3. Motor Power: 2400W dual motor(1200w*2)

4. Battery Voltage/Capacity: 48V 18.2Ah

5.Maximum Load Capacity: 120KG

6.Maximum Speed: 60 km/h

7. Range: 55KM (Note: The actual range may vary depending on road conditions, speed and rider's weight,)

8. Drive Mode: Dual Drive
9. Braking Method: Dual Disc Brakes

10. Shock Absorption: Front and Rear Dual Spring Shock Absorbers

11. Waterproof Rating: IPX4

12. Net Weight/Gross Weight: (No specific data provided)

13.Unfolded Dimensions: (No specific data provided)

14.Package Dimensions: (No specific data provided) Net weight/gross weight :38.1/34.8KG

13. Packaging size :135.5*26.3*53CM

LD COLLECTION

LD-73

FROM \$337.87

USD / UNIT



CONFIGURATION / UNIT PRICE

48v 10ah / 20-30km	\$337.87
48v 13ah / 25-35km	\$347.76
48v 23.4ah / 55-65km	\$438.88

TECHNICAL SPECIFICATIONS

Tire Size: 11 "2 off-road vacuum tires
Motor: 1200W /2400w dual drive
Battery: 48V 10ah/13ah/23.4ah, Range: 25-75KM
max speed: 45-50 km/h/55-65km/h
Approximate speed per gear
3 gear: first gear 25KM/H, second gear 35KM/H, third gear 58KM/H
Climb Angle: 25-35°
Max Loading: 150kg
Product size:130*122*67CM

Net/Gross weight: 31KG/35KG/42kg
Package size: 126*26*54CM
Handlebars: Premium bike handlebars
Front and rear disc brake/Oil brake
Display: LED large screen
Lights: side lights, ambient lights, hawk-eye lights (brake lights)/flow lights
Charging time: 6-8 hours
Shock absorber: front double spring shock absorber (orange), rear hydraulic shock absorber (black)
Frame material: aluminum alloy

AL-MUHAJIR

LD COLLECTION

LD-76

\$556.40

USD / UNIT



CONFIGURATION / UNIT PRICE

52V 23.4ah / 55-75km	\$556.40
----------------------	----------

TECHNICAL SPECIFICATIONS

Tire Size: 11 "2 off-road vacuum tires
Motor: 1200W /2400w dual drive
Battery: 48V 10ah/13ah/23.4ah, Range: 25-75KM
max speed: 45-50 km/h/55-65km/h
Approximate speed per gear
3 gear: first gear 25KM/H, second gear 35KM/H, third gear 58KM/H
Climb Angle: 25-35°
Max Loading: 150kg
Product size:130*122*67CM

Net/Gross weight: 31KG/35KG/42kg
Package size: 126*26*54CM
Handlebars: Premium bike handlebars
Front and rear disc brake/Oil brake
Display: LED large screen
Lights: side lights, ambient lights, hawk-eye lights (brake lights)/flow lights
Charging time: 6-8 hours
Shock absorber: front double spring shock absorber (orange), rear hydraulic shock absorber (black)
Frame material: aluminum alloy

LD COLLECTION

LD-77

\$455.96

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 21ah / 55-65km

\$455.96

TECHNICAL SPECIFICATIONS

Weight: About 28.5 KG
Max speed: 55 Km/h
Per charge: 60-70 Km
Lithium battery: 48 V 21Ah
Motor: 1200 Watts (Rear Motor) & 2400W (1200*2 dual motor)
Water Proof: IP55
Max load: 150 Kg
Tire: 10 inch Vacuum tire

Brake: Front + Rear Disc Brake
Lcd Display: Speed, Gear, Power Display
Charger Voltage: 48V-2A
Charger Time: 5-7 Hour
Package Size: 1200 x 270 x 580 mm
Folding Size: 1200 x 600 x 580mm
Unfolding Size: 1200 x 600 x 1310mm
Others: Turning lights

AL-MUHAJIR

LD COLLECTION

LD-78

\$507.07

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 21ah / 55-65km

\$507.07

TECHNICAL SPECIFICATIONS

Weight: About 28.5 KG
Max speed: 55 Km/h
Per charge: 60-70 Km
Lithium battery: 48 V 21Ah
Motor: 1200 Watts (Rear Motor) & 2400W (1200*2 dual motor)
Water Proof: IP55
Max load: 150 Kg
Tire: 10 inch Vacuum tire

Brake: Front + Rear Disc Brake
Lcd Display: Speed, Gear, Power Display
Charger Voltage: 48V-2A
Charger Time: 5-7 Hour
Package Size: 1200 x 270 x 580 mm
Folding Size: 1200 x 600 x 580mm
Unfolding Size: 1200 x 600 x 1310mm
Others: Turning lights

AL-MUHAJIR

LD COLLECTION

LD-91

\$648.09

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$648.09

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
 Max Mileage: 60-70km
 Max Speed: 70km/h (3 modes adjustable)
 Controller: 52V 28A X2
 Battery: 52V 19A988Wh
 Max Load : 200kg
 Climbing Angle: 30-40°
 Charger: 67.2V 5A , 2pieces
 Charge input voltage (V): 100-240V 67.2V(±1V), 5.0A (±0.2A)
 the battery can be charged 1500 times

Charging Time: 4-5 hrs
 Tire: Front 10", Rear 10"
 Brake: Dual front and rear hydraulic disc brakes + EBAS electronic brakes
 Light: turn signal, dual headlights, pedal light, rear brake lights
 Long-distance hydraulic shock absorption, Dual hydraulic shock absorption full Suspension
 certification: ROHS, CE, UL, GCC, FCC
 Net weight (KG): 30.2kg
 Packing size: 128X30X56CM, Weight: 38.5KG

AL-MUHAJIR

LD COLLECTION

LD-92

FROM \$556.09

USD / UNIT



CONFIGURATION / UNIT PRICE

Controller: 25A / Single motor 48V 1200W / 40-45km/h / 48V18AH 40-50km	\$556.09
Controller: 60V(30v*2) / 52V5000W (Dual motor) / 50-60km/h / 52V 30AH 70-90km	\$707.06
NFC Function / With a built-in sine wave controller 60V6000W (Dual motor) / 70-85km/h / 60V, 40AH 95-120km	\$889.81

TECHNICAL SPECIFICATIONS

Battery: 21700 lithium battery
 Input voltage: AC100V- 250V, 50- 60HZ, DC67.2V, 4a
 Drive mode: Dual drive
 The product material is 6063 aluminum alloy
 Braking system: XOD oil brake
 The standard charging time is 10 hours for the battery
 The climbing ability is 30 degrees
 11-inch tires

Orange ambient lights on both sides of the atmosphere
 Shock absorber spring shock absorption
 Center screen + finger pressure
 Detailed dimensions of the body: 1300*580*1320
 Folded: 1270*280*500
 Packaging: 1300*300*650 MM
 Packing list: Folding scooter *1, Regular charger *2,
 Instruction Manual *1
 Multi-functional wrench *1 with seat *1

AL-MUHAJIR

LD COLLECTION

LD-95

FROM \$502.98

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 18ah / 40-45km	\$502.98
48V 21ah / 50-55km	\$529.69

TECHNICAL SPECIFICATIONS

10inch Off Road tires
Long range:60-70km
Max Speed:65km/h
Motor:2400W
Battery:48V 21AH
Max load:150 Kg
Max climbing:50°
Water Proof :IP65
Motor:1200 Watts x 2 (Rear+Front Motors)

Tire:10' inch Air Tires with Tubes
Brake:Fron+ Rear Disc Brake
Lcd Display:Speed, Gear, Power Display
Charger Voltage:48V - 2A
Charger Time:9-9.5 Hour
Package Size:1190 x 260 x 490 mm
Folding Size: 1180*520*450mm
Unfolding Size:1180*520*1280mm
Others:U7 lights, and Turning lights

AL-MUHAJIR

LD COLLECTION

LD-97

\$556.40

USD / UNIT



CONFIGURATION / UNIT PRICE

52V 21ah / 55-65km

\$556.40

TECHNICAL SPECIFICATIONS

10inch Off Road tires
Long range:60-70km
Max Speed:65km/h
Motor:2400W
Battery:48V 21AH
Max load:150 Kg
Max climbing:50°
Water Proof :IP65
Motor:1200 Watts x 2 (Rear+Front Motors)

Tire:10' inch Air Tires with Tubes
Brake:Fron+ Rear Disc Brake
Lcd Display:Speed, Gear, Power Display
Charger Voltage:48V - 2A
Charger Time:9-9.5 Hour
Package Size:1190 x 260 x 490 mm
Folding Size: 1180*520*450mm
Unfolding Size:1180*520*1280mm
Others:U7 lights, and Turning lights

AL-MUHAJIR

LD COLLECTION

LD-98

FROM \$637.94

USD / UNIT



CONFIGURATION / UNIT PRICE

52V 21ah / 55-65km

\$637.94

52V 30ah / 85-95km

\$721.97

TECHNICAL SPECIFICATIONS

Sliver and Red color option Weight: About 31.5 KG

Max speed: 65 Km/h

Per charge: 55-65 Km

Lithium battery: 52V 21Ah

Motor:3200W(1600W*2 dual motor)

Water Proof: IP55

Max load: 150 Kg

Tire:10inch Vacuum tire

Brake:NUTT Oil brake

Lcd Display:Speed, Gear, Power Display

Charger Voltage: 52V - 2A

Charger Time:9-9.5 Hour

Package Size:1200 x 270 x 580 mm

Folding Size:1200 x610 x 560mm

Unfolding Size:1200 x610 x1270mm

Others: Turning lights ,Bluetooth APP

AL-MUHAJIR

LD COLLECTION

LD-104

FROM \$582.33

USD / UNIT



CONFIGURATION / UNIT PRICE

48v 13ah / 25-40km	\$582.33
48v 17.5ah / 45-55km	\$632.78
48v 20ah / 55-60km	\$668.71

TECHNICAL SPECIFICATIONS

wheel size: 26*4"	Dual Brake:Disc Brake (160mm)
Wheel Hub: Aluminum alloy	Dual Shock Absorber
Motor: 48V 1000W	Battery: 48V 17.5Ah
USB charge port	Mileage:40-45KM
5 model and Shimano 7-speed	Product Size (L*W*H): 170*70*105cm
Waterproof: IP68	Carton Size: 146*32*78cm 1pcs/CTN
Charging Time:4-8 hours	N.W./G.W: 28kg/38kg

LD COLLECTION

LD-106

\$609.61

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$609.61
------------------------	----------

TECHNICAL SPECIFICATIONS

Tires: 26" x3.0 high-performance tires
Motor: 350W rear-drive motor, 50 Nm
Battery: 36V/10Ah lithium-ion battery
Charger: DC42V/2A
Controller: 36V/350W
Display: 36V LCD display
Range: 35-50 miles
Frame Material: 6061 aluminum alloy

Headlight: LED headlight 36V/2A
Handlebar: Iron handlebar Headset-Quick-release, Speed sensor
Thumb Throttle: Half-twist throttle with power cut-off switch
Brakes: Mechanical disc brakes, 160mm rotor
Brake: Lever Aluminum alloy with motor cut-off function
Gear System: Shimano 7-speed
Pedal Assist: Intelligent 0-5 level pedal assist (level 0 inactive)

LD COLLECTION

LD-107

FROM \$614.82

USD / UNIT



CONFIGURATION / UNIT PRICE

48v 15ah / 45-55km	\$614.82
48 20ah / 55-65ah	\$649.15
48v 25ah 60-75ah	\$686.67

TECHNICAL SPECIFICATIONS

Load Capacity: 150 kg
 Motor: 500W Peak power:1000W
 Battery: 48V 10.4Ah Lithium Battery
 Speed: 25-45 km/h
 Material: 6061Aluminum Alloy
 Tires: 26*4.0 Special tires for electric vehicles
 Crankset: Aluminum Alloy Crank, 48T
 Shifters: Shimano TX50 Finger Shifter
 Rear Derailleur: Shimano ZT50 Rear Derailleur
 Cassette: Shimano 7-Speed

Controller: 9-Tube 25A Sine Wave Brushless Controller
 Dashboard: Smart Central Color Display with IP68 Waterproof Rating
 Switch: Waterproof Connector for Headlight and Horn Control
 Brakes: Front and Rear Mechanical Disc Brakes (Electric Vehicle Dedicated)
 Chain: 130-Link Rust-Resistant Chain (Electric Vehicle Dedicated)
 Charger: Certified Plug, 54.6V DC, 2.5mm Connector Net weight: 29 kg, Gross weight: 37 kg Packaging size: 156CM * 30CM * 86CM

AL-MUHAJIR

LD COLLECTION

LD-110

\$746.03

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$746.03

TECHNICAL SPECIFICATIONS

Frame materials: Aluminum alloy
Rim size: 20in*4.0
Motor: 48V750W Brushless DC motor-High speed Gear (5.1)
Battery capacity: 48V 13ah
Charging time: 4-5H
Charger parameters: 54.6V12A
Max speed: 32km/h
Pure electric range: 30-40km
Power assist range: 70-75km

Climb angle: 25° Max load: 100kg
Riding mode: Cycling/Hall power/electric
Battery detachable feature: Push-in type with mechanical lock
Suspension: Front shock absorber
Mechanical variable speed: 7 speed mechanical transmission system
Brake mode: Front/Rear disc brake
Assist mode: Hall sensor, 3 speed power adjustment
Protection level: IPX4 Net weight: 24kg

AL-MUHAJIR

LD COLLECTION

LD-111

\$761.88

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$761.88

TECHNICAL SPECIFICATIONS

Motor: "48V 1000w Brushless Motor
 Battery: 17Ah lithium battery
 Charger: 48V/2A
 Torque: 60-70NM
 Pedal assisted mileage: 60-70km
 Charging Time: 6-7 hours
 Electric Mode 40-50km

Frame: Aluminum alloy frame
 Tires(inch): 20*4inch
 Transmission: 21 grade SHIMANO
 Other Configuration: LED headlight + Brake light
 Maximum Load: 120KG
 N.W./G.W: 28kg/37kg
 Packing size 148*25*80

AL-MUHAJIR

LD COLLECTION

LD-112

FROM \$838.98

USD / UNIT



CONFIGURATION / UNIT PRICE

Configuration 1	\$838.98
Configuration 2	\$857.14

TECHNICAL SPECIFICATIONS

Peak power:1000w Brushless Motor
Motor: 500W
Battery: 48v 17AH lithium battery
Charger: 48V/2A
Torque: 60-70NM
Assist Mode 60-80km
Charging Time: 5-7 hours
Electric Mode 40-50km
Frame: Aluminum alloy frame

Display: LCD Display
Tires(inch): 29*2.4
Transmission: 21 grade SHIMANO
Braking: SHIMANO hydrylic brake
Other Configuration:LED headlight +Brake light fork:
Aluminum alloy Hydraulic
Applicable Height: 160-185cm
Maximum Load:120KG
Net weight:26KG
Packing size: 148*25*80cm

LD COLLECTION

LD-114

\$983.06

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$983.06
------------------------	----------

TECHNICAL SPECIFICATIONS

Motor: Xiongfeng 1000W rear-mounted motor	Front fork: 29" with lockable pneumatic golden shock-absorbing front fork
Battery: 48V 19.2Ah lithium battery	Wheel hub: Double-layer aluminum rim
Instrument: Color LCD instrument, 5 gears	Pedal sprocket: Aluminum crank sprocket 24T/32T/44T, crank
Charging time: 8 hours	Shift: Domestic 27-speed
Speed: 36-45 km/h (PAS mode)	Brake: Shimano hydraulic disc brake
Range: 35-50km (Electric) 55-70km (PAS)	Net weight: 28.0kg 37.20kg
Maximum load: 200kg	Tire: 29*2.4/29*2.1
Torque: 65N/M	Seat: Kangkang comfortable saddle
Frame: 29-inch aluminum shock-absorbing frame	Box size: 152x26x82cm

LD COLLECTION

LD-115

FROM \$1,196.53

USD / UNIT



CONFIGURATION / UNIT PRICE

Configuration 1	\$1,196.53
Configuration 2	\$1,405.98

TECHNICAL SPECIFICATIONS

Frame: Aluminum alloy frame
 Front fork: Barrel shaft all aluminum alloy
 Tire size: 26x40 Inch Tires
 Battery: Panasonic cell 48V 20 AH
 Long Endurance 90KM
 Speed: Shimano 7-stage transmission
 Electrical machinery: 1000W single and 2000Dual Motor
 Peak Power: 1500W and 3000W
 Max Speed: 45KM/H
 Instrument: LCD display instrument

Controller: Intelligent Vector Controller
 Brake: hydraulic brake
 Dual Shock Absorber Suspension
 12 Tube Intelligent Controller
 IP65 Waterproof
 Axis: Sealing shaft
 Maximum load: About 200KG
 Hub: Aluminum alloy wheels
 Charging time: 4-6 hours
 Maximum Climb Angle: 30
 weight: 41 KG (Include battery)

AL-MUHAJIR

LD COLLECTION

LD-116

\$659.73

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$659.73

TECHNICAL SPECIFICATIONS

Front fork: aluminum alloy suspension fork with lock
Driving modes: Throttle, Pedal assist, Pure human riding
Battery: Removable lithium-ion battery 52V 20Ah (1040Wh)
Range in throttle mode: 55 km
Range in PAS mode: 55~65 km
Charging methods:
Charger: Input 100~240V, output 58.8V 3A, smart protection
Charging time: 8-10 hours
Motor: rated power 1000W, peak power 1500W 100N.m

Controller: Intelligent sine wave controller
Headlight & Horn: Integrated LED headlight & horn, 700 lumen
Taillight: rear light with brake light
Display: Color LED display
Speed: 48 km/h
Crankset: aluminum alloy, 24*34*42T
Rims: 20" aluminum alloy 20*4.0" all terrain fat tires
Max load: 150 kg
Net weight: 35 kg, Gross weight: 47 kg Packing: 135*33*78CM

AL-MUHAJIR

LD COLLECTION

LD-117

FROM \$668.89

USD / UNIT



CONFIGURATION / UNIT PRICE

48V 20Ah(960Wh) Max mileage 55km Rated power 1000W peak power 1500W 100N.m,Rear drive	\$668.89
52V 20Ah battery(1040Wh) Max mileage 55 km Rated power 1000W peak power 1500W 100N.m ,Rear drive	\$760.03
60V 30Ah battery(1240Wh) Max mileage 55 km Rated power 1800W peak power 2400W 100N.m ,Rear drive max speed 60km/h	\$878.52

TECHNICAL SPECIFICATIONS

Front fork: aluminum alloy suspension fork with lock
Driving modes: Throttle, Pedal assist, Pure human riding
Battery: Removable lithium-ion battery
Range in throttle mode: 50 km
Range in PAS mode: 55 km
Charging methods: Charge directly or take the battery out for charging
Charger: Input 100~240V, output 58.8V 3A, smart protection
Charging time: 8-10 hours
Controller: Intelligent sine wave controller
Throttle: full twist motorcycle throttle
Headlight & Horn: Integrated LED headlight & horn, 700 lumen
Taillight: rear light with brake light
Display: KINGMETER TFT display VA35

Speed: 55 km/h
Gears: 7 speeds
Shifter levers: Shimano SL-TX50
Rear derailleur: Shimano RD-TZ500
Cassette: Shimano MF-TZ500
Crankset: Prowheel, aluminum alloy, 24*34*42T
Rims: 20" aluminum alloy Kenda 20*4.0" all terrain fat tires
Brake levers: SOLON Aluminum alloy, with brake sensor, cut off the power to the motor when braking
Brakes: SOLON front and rear hydraulic disc brakes
Saddle: Body geometry comfortable sponge saddle
Fenders: Full coverage
Max load: 150 kg
Net weight: 35 kg
Gross weight: 47 kg Packing: 133*31.5*79CM

LD COLLECTION

LD-120

FROM \$772.51

USD / UNIT



CONFIGURATION / UNIT PRICE

Motors: 52V 1500W / Dual Batteries: 20Ah, 23Ah / Max speed: 55km/h

\$772.51

Dual Motors: Front 52V 1000W + Rear 52V1000W, / Dual Batteries: 20Ah, 23Ah / Max speed: 55km/h

\$816.63

TECHNICAL SPECIFICATIONS

Frame: Carbon steel, thickness 2.3MM
 Front fork: Dual Crown aluminum alloy suspension fork with lock
 Driving modes: Throttle, Pedal assist, Pure human riding
 Battery: Removable lithium-ion battery, 2 batteries
 Capacity: 52V 43Ah(2236Wh)
 Range in throttle mode: 80 km, Range in PAS mode: 120 km
 Charger: Input 100~240V, output 58.8V 3A, smart protection
 Charging time: 8-9 hours
 Motor: Dual motor, high speed, brushless, geared motor, rated power 2000W, peak power 3000W 180N.m
 Controller: Intelligent sine wave controller
 Accelerator: Thumb throttle / Pedal assist
 Headlight & Horn: Integrated LED headlight & horn

Display: AV47 KINGMETER TFT display 5 INCH
 Cruise control: Yes
 Max speed: 55 km/h
 Gears: 7 speeds
 Shifter levers: Shimano SL-TX50 Shimano RD-TZ500 Brake levers: SOLON Aluminum alloy, with brake sensor, cut off the power to the motor when braking
 Brakes: SOLON front and rear hydraulic disc brakes
 Crankset: Prowheel, aluminum alloy, 24*34*42T
 Rims: 26" aluminum alloy, Tires: 20*4.0" all terrain fat tires
 Saddle: Body geometry comfortable sponge saddle
 Accessories: Kickstand, rear rack, tools
 Max load: 180 kg
 Net weight: 42 kg Gross weight: 54 kg

AL-MUHAJIR

LD COLLECTION

LD-122

\$573.40

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$573.40
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Material: Iron

2. Max range: 50km

3. Max speed: 55km/h

4. Maximum load capacity: 150kg

5. Battery: 48V/22.8Ah

6. Charging time: 8-9 hours
7. Motor power: 3000W

8. Front wheel: 12-inch pneumatic off-road tire

9. Rear wheel: 10-inch pneumatic off-road tire

10. Braking: Hydraulic disc brake

11. Shock absorption: Front hydraulic + rear spring

12. Net weight/Gross weight: 41.7kg/46.7kg

13. Packaging size:1280*290*665MM

LD COLLECTION

LD-123

\$739.44

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$739.44

TECHNICAL SPECIFICATIONS

Material: carbon steel
Maximum range: 80km
Maximum speed: 55km/h(1-5 gears speed adjusted)
1-7 gear shifting speed
Display: NFC function
Maximum load capacity: 160kg
Battery: 48V/25Ah
Charging time: 6-8 hours

Motor power: 1500W (rear drive)
16-inch *3.0 pneumatic off-road tire
Braking: Hydraulic oil brake
torque: 55N.m
Shock absorption: Front hydraulic + rear spring
Climbing : 30-45°
Net weight/Gross weight: 45kg/52.3kg
Packaging size:1400*255*860MM

AL-MUHAJIR

LD COLLECTION

LD-124

\$740.41

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$740.41
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Material: Iron

2. Maximum range: 50km

3. Maximum speed: 55km/h

4. Maximum load capacity: 150kg

5. Battery: 48V/22.5Ah

6. Charging time: 8-9 hours
7. Motor power: 3000W

8. Front wheel: 14-inch pneumatic off-road tire

9. Rear wheel: 12-inch pneumatic off-road tire

10. Braking: Hydraulic disc brake

11. Shock absorption: Front hydraulic + rear spring

12. Net weight/Gross weight: 46.8kg/60.5kg

13. Packaging size:1370*320*655MM

LD COLLECTION

LD-125

\$726.04

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$726.04

TECHNICAL SPECIFICATIONS

Frame material: Aluminum alloy
Temperature control system: Temperature control sensor
Power: 3000W Controller: 70A
Motor type: Mid-mounted motor, rated power 1.5KW
Maximum speed: 55KM/H-3 gears speed adjust
Range: 45KM-55KM
Battery: 48V 20.8AH lithium battery
Battery cell capacity: 18860-2600
Rated torque/peak torque: 30NM/50NM

Charging time: 6H-8H
Maximum output voltage of charger: 54.6V
Braking method: Oil brake + disc brake
Front shock absorber - hydraulic shock absorber (front shock absorber stroke 14CM), rear shock absorber - spring shock absorber (rear shock absorber stroke 4CM)
Packaging dimensions: 1276*276*745MM
Net weight: 47.5 KG
Handlebar length: 73CM
Seat height from ground: 72.5CM

AL-MUHAJIR

LD COLLECTION

LD-127

\$554.41

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$554.41

TECHNICAL SPECIFICATIONS

wheel size: 20 inch, 4" fat tyre
Wheel Hub: Aluminum alloy private model
Motor: 48V 1000W single motor
Power assisted
USB charge port
5 model and 7 Speed
7.3W LED front light
Removable Battery with key
Maximum Speed: 50-55KM/H

Charging Time: 4-8 hours
Max loading : 200kg
Dual Brake: Disc Brake
Dual Shock Absorber
Battery: 48V 20ah
Mileage: 55-75KM
Product Size (L*W*H): 170*70*105cm
Carton Size: 146*32*78cm 1pcs/CTN
N.W./G.W: 32kg/43kg

AL-MUHAJIR

LD COLLECTION

LD-128

FROM \$690.58

USD / UNIT



CONFIGURATION / UNIT PRICE

Configuration 1

\$690.58

hub color: Black, Green, Blue / Motor: 48V 2000W (dual motor) / Charging Time: 8-11 hours / Battery: 48V 23ah : 55~75KM / N.W./G.W: 39kg/49kg

\$829.80

TECHNICAL SPECIFICATIONS

wheel size: 20 inch, 4" fat tyre
 Wheel Hub: Aluminum alloy private model
 Motor: 48V 1000W single motor
 Power assisted
 USB charge port
 5 model and 7 Speed
 10W LED front light
 Removable Battery with key

Maximum Speed: 50KM/H
 Charging Time: 7-10 hours
 Max loading : 200kg
 Dual Brake: Front and rear hydraulic brakes
 Dual Shock Absorber
 Battery: 48V 20ah Mileage: 55~75KM
 Product Size (L*W*H): 170*70*105cm
 Carton Size: 146*32*78cm 1pcs/CTN
 N.W./G.W: 35kg/46kg

AL-MUHAJIR

LD COLLECTION

LD-130

\$736.97

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$736.97
------------------------	----------

TECHNICAL SPECIFICATIONS

Frame material: Aluminum alloy
Tire size: 11 inches, ultra-wide off-road pneumatic tire
Theoretical range: Approximately 70-100 km
Speed: 40 km/h
Output power: 2400W(1200*2Dual motor)
Folding time: 3 seconds quick folding
Steep slope angle: 30°
Battery capacity: 48V/18.2Ah lithium battery
Charger parameters: DC54.6V/2A

Motor drive: Front and rear motor drive
Shock absorption system:: Three shock absorbers at the front and rear
Waterproof level: IPX4
Charging time: 9-10 hours
Lights: LED high-brightness front lighting 3w, tail LED light
Load range: 150kg
Folding size: 1340*630*630mm
Outer box size: 1340x240x685mm Net weight: 38KG Gross weight: 42KG

LD COLLECTION

LD-131

\$677.69

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$677.69
------------------------	----------

TECHNICAL SPECIFICATIONS

Tire Size: 11 "2 off-road vacuum tires
Motor: 5600W (2800W*2 dual drive)
Battery: 60V 27AH, Range: 60-75KM
Max Speed: 65-75 KM/H
Approximate speed per gear (load)
3 gear: first gear 25KM/H, second gear 35KM/H, third gear 68KM/H
Climb Angle: 45-50°
Max Loading: 150kg
Net/Gross weight: 47KG/52KG

Package size: 128*29*52CM
Handlebars: Premium bike handlebars
Display: Large screen meter + new small meter with key lock
Front and rear brake form: front disc brake, rear black advanced oil brake
Lights: side lights, ambient lights, hawk-eye lights (brake lights)/flow lights
Charging time: 6-8 hours
Shock absorber: front double spring shock absorber (orange), rear hydraulic shock absorber (black)
Frame material: aluminum alloy

LD COLLECTION

LD-132

\$774.20

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$774.20
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame: Material: aluminum alloy / foldable

2. Tire size: 11 off-road pneumatic tire

3. Motor power: 6000w(3000W*2 dual drive)

4. Battery voltage/capacity: 60v28ah

5. Maximum load capacity: 200KG

6. Maximum speed: 60 km/h

7. Range: 75-90KM/49-56miles
8. Drive mode: rear-wheel drive

9. Braking method: dual disc brake

10. Shock absorption: Front and rear dual suspension

11. Waterproof rating: IPX5

12. Net weight/Gross weight: 42kg/51kg

13. Unfolded dimensions: 132*70*143cm

14. Packaging size: 132*33*52CM

LD COLLECTION

LD-133

\$854.15

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$854.15
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame Material: Aluminum Alloy

2. Tire Size: 12-inch Pneumatic Tire

3. Motor Power: 6000W dual motor(3000w*2)

4. Battery Voltage/Capacity: 60V 28Ah

5.Maximum Load Capacity: 120KG

6. Maximum Speed: 75 km/h

7. Range: 70-80KM
8. Drive Mode: Dual Drive

9. Braking Method: Dual Hydraulic Brakes

10. Shock Absorption: Front and Rear Dual Spring Shock Absorbers

11. Waterproof Rating: IPX5

12.Net Weight/Gross Weight: 50.6kg/55.7kg

13.Package Dimensions: 1360*305*666MM

LD COLLECTION

LD-134

\$974.08

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration	\$974.08
------------------------	----------

TECHNICAL SPECIFICATIONS

1. Frame Material: Aluminum Alloy (with Steering Damper)

2. Tire Size: 11-inch Off-road Tubeless Tire

3. Motor Power: 1500W x 2 (Dual Motors)

4. Battery Voltage/capacity: 60V 30Ah

5. Maximum Load Capacity: 120KG

6. Top Speed: 75KM/H (Kilometers per Hour)

7. Range: 70-80KM
8. Drive Mode: Dual Drive

9. Braking System: Dual Hydraulic Disc Brakes

10. Shock Absorption: Front and Rear Dual-Spring Shock Absorption

11. Waterproof Rating: IPX5

12. Net Weight/Gross Weight: 47.5/55kg

13. Packaging Dimensions: 1340x300x640MM

LD COLLECTION

LD-135

FROM \$771.27

USD / UNIT



CONFIGURATION / UNIT PRICE

60V18AH / 30-45KM	\$771.27
60V23AH / 50-70KM	\$873.36
60V26AH / 80-90KM	\$885.83
60V38AH / 85-110KM	\$947.14

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
 Max Mileage: 40-100km
 Max Speed: 80km/h
 Battery: 60v 38ah
 Max Load : 200kg
 Climbing Angle: 40-45°
 Charging Time: 3-4 hrs
 Motor Power: 5600W dual motor

Tire: Front 11", Rear 11" tubeless tire
 Brake: double oil disc brake
 Light: Front & Rear LED & Brake Light & turn signal
 full Suspension
 Packaging Weight: 55Kg
 Packing size: 1340*360*550mm
 Product size: 1300*280*1300mm
 Folding size: 1280*280*620mm

AL-MUHAJIR

LD COLLECTION

LD-139

FROM \$798.98

USD / UNIT



CONFIGURATION / UNIT PRICE

18.2ah / 55-60km	\$798.98
21ah / 60-70km	\$823.69
27ah / 75-80km	\$854.81
30ah / 85-90km	\$922.36
35ah / 85-105km	\$968.43

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
 Max Mileage: 60-100km
 Max Speed: 80-85km/h
 Max Load : 200kg
 Climbing Angle: 40-45°
 Charging Time: 3-4 hrs
 Motor Power: 60v 2*2800W

Tire: Front 11", Rear 11"
 Brake: double disc brake
 Light: Front & Rear LED & Brake Light & turn signal
 full Suspension
 Packaging Weight: 64Kg
 Packing size: 1520*400*660mm
 Product size: 1250*620*1330mm
 Folding size: 1300*330*650mm

AL-MUHAJIR

LD COLLECTION

LD-144

\$795.70

USD / UNIT



CONFIGURATION / UNIT PRICE

60V 21ah / 50-55km

\$795.70

TECHNICAL SPECIFICATIONS

Three-wheeled electric scooter
 Motor parameters: 6000W (dual drive)
 Battery: 60V27AH
 Maximum speed: 60-65 KM/H
 Range: 50-70KM
 Net weight: 63KG, gross weight: 72KG
 Packing size: 141*44*57CM
 Product expansion size: 135*128*73CM
 Folding size: 135*67*73CM
 Handlebars Upgrade your bike handlebars
 Front large oil brake, rear double oil brake system, 0.1S response

Headlight Configuration/Horn New aluminum binocular light pair/invisible horn
 Vertical pole and side light with water atmosphere light
 Taillight (running light + brake light + turn signal)
 Double header charging base
 Charging time: 2-3 hours / 6-8 hours
 Front hydraulic shock, rear spring shock
 Anti-theft form: integrated NFC
 Frame material: Aluminum alloy + iron
 Number of tire sizes: 13 inches *3
 Type of tire: Off-road tire (with inner tube)
 Load: 200KG
 Climbing Angle: 60-70°
 Folding mode: one step folding, plus double insurance

AL-MUHAJIR

LD COLLECTION

LD-145

\$933.94

USD / UNIT



CONFIGURATION / UNIT PRICE

60V 27ah / 60-80km

\$933.94

TECHNICAL SPECIFICATIONS

Three-wheeled electric scooter
 Motor parameters: 6000W (dual drive)
 Battery: 60V27AH
 Maximum speed: 60-65 KM/H
 Range: 50-70KM
 Net weight: 63KG, gross weight: 72KG
 Packing size: 141*44*57CM
 Product expansion size: 135*128*73CM
 Folding size: 135*67*73CM
 Handlebars Upgrade your bike handlebars
 Front large oil brake, rear double oil brake system, 0.1S response

Headlight Configuration/Horn New aluminum binocular light pair/invisible horn
 Vertical pole and side light with water atmosphere light
 Taillight (running light + brake light + turn signal)
 Double header charging base
 Charging time: 2-3 hours / 6-8 hours
 Front hydraulic shock, rear spring shock
 Anti-theft form: integrated NFC
 Frame material: Aluminum alloy + iron
 Number of tire sizes: 13 inches *3
 Type of tire: Off-road tire (with inner tube)
 Load: 200KG
 Climbing Angle: 60-70°
 Folding mode: one step folding, plus double insurance

AL-MUHAJIR

LD COLLECTION

LD-146

\$891.17

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$891.17

TECHNICAL SPECIFICATIONS

- 1.tire size: 11"Off-road vacuum tyre
- 2.motor power: 3000W*2
- 3.Battery capacity: 60V-30Ah
- 4 maximum load: 200KG
- 5.Max speed: 80KM/H
- 6.road haul: 80-90KM

- 7.drive mode: dual motor drive
- 8.Break method double disc brake
- 9.Mobile phone charging: NO
- 10.Waterproof level: IPX5
- 11.product weight: 40KG
- 12.Vehicle Weight: 45KG
- 13.Packing size: 1370*340*600mm

AL-MUHAJIR

LD COLLECTION

LD-147

FROM \$848.34

USD / UNIT



CONFIGURATION / UNIT PRICE

5600W / 60v 30ah / Range 50km-70Km

\$848.34

6000W / 60V 40Ah / Range 100km-120km

\$1,171.68

TECHNICAL SPECIFICATIONS

11inch Off-road vacuum explosion-proof tires
 Material: Metal / Aluminum
 Max Mileage: 50km-70Km&100km-120km
 Max Speed: 60-80km/h
 Battery: 60v 40ah&60v 30ah
 Max Load : 200kg
 Climbing Angle: 50°
 Charging Time: 3-4 hrs
 Input voltage: AC100V--250V 50--60HZ DC67.2V5A

Motor Power: 6000W(dual motor)&5600W dual motor
 Brake: double oil disc brake
 Light: Front & Rear LED & Brake Light&turn signal Light: turn signal, dual headlights, pedal light, rear brake lights
 Long-distance hydraulic shock absorption, Dual hydraulic shock absorption full Suspension
 Scooter weight: 45kg Packaging Weight: 58Kg
 Packaging Weight: 55Kg
 Packing size: 1520*400*660mm
 Product size: 1430*300*1340mm

AL-MUHAJIR

LD COLLECTION

LD-149

\$1,032.27

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$1,032.27

TECHNICAL SPECIFICATIONS

Power: Dual drive motor 60V 6000W with built-in sine wave controller 50A*2 (3000W*2)
 Electronic control power: Battery capacity lithium battery 60V 35A standard 40A
 Input voltage: AC100V-250V50-60HzDC67.2V 4A
 Driving method: Dual drive
 Maximum speed: 100KG (speed 70KM/H) 70KG (speed 80KM/H) 6063
 Product material: Aluminum alloy XOD
 Brake system: Oil brake
 Charging time: 7-10hours

Max Range: Dual drive70KM, single drive120KM (flat road-70KG)
 Steep slope ability: 30°
 Tires: 11-inch off-road tires
 Ambient light: Two sets of blue ambient lights
 Shock absorption: Ordinary spring shock absorption
 Display: LED screen + handlebar
 Body: 1300*580*1320, Folded: 1400*280*500
 Packaging: 1300*320*600 MM
 Packing list: Folding scooter * 1 ordinary charger * 2 instructions*1,Multi-function wrench *1 with seat

AL-MUHAJIR

LD COLLECTION

LD-150

\$1,050.06

USD / UNIT



CONFIGURATION / UNIT PRICE

11 inch tubeless tire / 6000w dual motor / Max speed: 85km/h Big LCD display / NFC intelligent Display and Bluetooth APP

\$1,050.06

TECHNICAL SPECIFICATIONS

Material: Metal / Aluminum
 Max Mileage: 60-120km
 Max Speed: 85km/h (3 modes adjustable)
 Battery: 60v 38ah
 Max Load : 200kg
 Climbing Angle: 40-45°
 Charger: 67.2V 5A , 2pieces
 Charge input voltage (V): 100-240V 67.2V(±1V), 5.0A (±0.2A)
 the battery can be charged 1500 times
 Charging Time: 4-5 hrs

Tire: Front 11", Rear 11"
 Brake: double oil disc brake
 Light: turn signal, dual headlights, pedal light, rear brake lights
 Long-distance hydraulic shock absorption, Dual hydraulic shock absorption full Suspension
 certification: ROHS, CE, UL, GCC, FCC
 Net weight (KG): 45kg
 Gross weight (KG): 57kg
 Packing size: 1520*400*660mm
 Product size: 1430*300*1340mm

AL-MUHAJIR

LD COLLECTION

LD-151

\$1,062.96

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$1,062.96

TECHNICAL SPECIFICATIONS

Motor: Dual drive motor 60V 8000W (4000W * 2)
 Controller: Built-in sine wave controller 50A * 2
 Battery: 21700 lithium battery 60V 38.8AH
 Input voltage: AC 100V-250V 50-60Hz DC 67.2V 4A
 Max speed: 100KG (speed 80KM/H) 70KG (speed 90KM/H)
 Product material: 6063 aluminum alloy
 Brake system: XOD oil brake
 Charging time: 9-10 hours
 Max range: Dual drive 70KM, single drive 120KM (flat road, 70KG)
 Steep slope capability: 30°

Tires: 13-inch road tires and Free 2 off-road tires
 Ambient light: Pole-mounted with colorful ambient light
 Shock absorption: Front hydraulic shock absorption, rear spring
 Screen: LED screen + finger grip
 Detailed dimensions: Body: 1350 * 580 * 1320
 Folded: 1370 * 280 * 500
 Packaging: 1480 * 320 * 700 MM
 Packing list: Foldable scooter * 1, ordinary charger * 2, manual * 1
 Multifunctional wrench * 1, seat included * 1

AL-MUHAJIR

LD COLLECTION

LD-153

\$1,405.20

USD / UNIT



CONFIGURATION / UNIT PRICE

Standard configuration

\$1,405.20

TECHNICAL SPECIFICATIONS

Motor Power: Dual drive motor 72V 9000W (4500W * 2)
 Controller Power: Built-in sine wave controller 50A * 2
 Battery: 72V 35AH (rated 40A)
 Input Voltage: AC 100V - 250V 50 - 60Hz, DC 84V 4A
 Drive Mode: Dual drive
 Maximum Speed: 100KG (80KM/H), 70KG (100KM/H)
 Material: 6063 aluminum alloy
 Brake System: NUTT oil brake
 Charging Time: Standard battery 10 hours
 Maximum Range: Dual drive 70KM, single drive 120KM (flat road, 70KG)

Climbing Ability: 30°
 Tires: 11-inch off-road tires
 Ambient Light: None
 Shock Absorption: Front hydraulic shock absorption, rear spring
 Display Screen: LED screen + thumb
 Detailed Dimensions: Body: 1450 * 580 * 1320, Folded: 1470 * 280 * 500, Packaging: 1450 * 320 * 650 MM
 Packing List: Foldable scooter * 1, Ordinary charger * 2, Instruction manual * 1, Multi-functional wrench * 1, Seat * 1

AL-MUHAJIR

LD COLLECTION

LD-154

\$1,279.46

USD / UNIT



CONFIGURATION / UNIT PRICE

13inch tires 60V8000W / Max Speed 70-90km/h / 60V45AH / Max range:70-120km

\$1,279.46

TECHNICAL SPECIFICATIONS

Black full vehicle waterproof line
 Motor power:8000W (4000W * 2) Dual motors
 Electronic control power: Built-in sine wave controller 50A * 2
 221700
 Battery capacity: Lithium battery 60V 50AH/72V 40AH
 Input voltage: AC100V-250V 50/60Hz DC 67.2V 4A
 Drive mode: Dual drive
 Maximum speed: 100KG (speed 80KM/H) 70KG (speed 90KM/H)
 Product material: 6063 aluminum alloy
 Brake system: XOD oil brake
 Charging time: Standard battery 13 hours

Maximum range: Dual drive 70KM, single drive 120KM (flat road, 70KG)
 Steep slope ability: 30°
 Tires: 13-inch road tires
 Ambient light: Pedal with colorful ambient light
 Shock absorption: Front hydraulic shock absorption, rear spring
 Screen: LED screen + finger hook
 Detailed dimensions: Body: 1450 * 580 * 1320
 Folded: 1470 * 280 * 500
 Packaging: 1550 * 320 * 700 MM
 Packing list: Folding skateboard * 1! Ordinary charger * 2
 Instruction manual * 1!

AL-MUHAJIR

LD COLLECTION

LD-155

\$1,333.35

USD / UNIT



CONFIGURATION / UNIT PRICE

14inch tires 60V8000W / Max Speed 80-90km/h / Samsung 21700 48G / 60V45A / Max range:70-120km

\$1,333.35

TECHNICAL SPECIFICATIONS

Black full vehicle waterproof line
 Motor power:8000W (4000W * 2) Dual motors
 Electronic control power: Built-in sine wave controller 50A * 2 221700
 Battery capacity: Lithium battery 60V 50AH/72V 40AH
 Input voltage: AC100V-250V 50/60Hz DC 67.2V 4A
 Drive mode: Dual drive
 Maximum speed: 100KG (speed 80KM/H) 70KG (speed 90KM/H)
 Product material: 6063 aluminum alloy
 Brake system: XOD oil brake
 Charging time: Standard battery 13 hours

Maximum range: Dual drive 70KM, single drive 120KM (flat road, 70KG)
 Steep slope ability: 30°
 Tires: 13-inch road tires
 Ambient light: Pedal with colorful ambient light
 Shock absorption: Front hydraulic shock absorption, rear spring
 Screen: LED screen + finger hook
 Detailed dimensions: Body: 1450 * 580 * 1320
 Folded: 1470 * 280 * 500
 Packaging: 1550 * 320 * 700 MM
 Packing list: Folding skateboard * 1! Ordinary charger * 2
 Instruction manual * 1!

AL-MUHAJIR

LD COLLECTION

LD-156

\$1,441.12

USD / UNIT



CONFIGURATION / UNIT PRICE

13inch tires 72V10000W / Max Speed 90-100km/h / Samsung 21700 48G 72V40A / Max range:70-130km **\$1,441.12**

TECHNICAL SPECIFICATIONS

Black full vehicle waterproof line
 Motor power:8000W (4000W * 2) Dual motors
 Electronic control power: Built-in sine wave controller 50A * 2 221700
 Battery capacity: Lithium battery 60V 50AH/72V 40AH
 Input voltage: AC100V-250V 50/60Hz DC 67.2V 4A
 Drive mode: Dual drive
 Maximum speed: 100KG (speed 80KM/H) 70KG (speed 90KM/H)
 Product material: 6063 aluminum alloy
 Brake system: XOD oil brake
 Charging time: Standard battery 13 hours

Maximum range: Dual drive 70KM, single drive 120KM (flat road, 70KG)
 Steep slope ability: 30°
 Tires: 13-inch road tires
 Ambient light: Pedal with colorful ambient light
 Shock absorption: Front hydraulic shock absorption, rear spring
 Screen: LED screen + finger hook
 Detailed dimensions: Body: 1450 * 580 * 1320
 Folded: 1470 * 280 * 500
 Packaging: 1550 * 320 * 700 MM
 Packing list: Folding skateboard * 1! Ordinary charger * 2
 Instruction manual * 1!

AL-MUHAJIR

LD COLLECTION

LD-157

\$1,477.05

USD / UNIT



CONFIGURATION / UNIT PRICE

14inch tires 72V10000W / Max Speed 90-100km/h / Samsung 21700 48G 72V40A / Max range:70-130km **\$1,477.05**

TECHNICAL SPECIFICATIONS

Black full vehicle waterproof line
 Motor power:8000W (4000W * 2) Dual motors
 Electronic control power: Built-in sine wave controller 50A * 2 221700
 Battery capacity: Lithium battery 60V 50AH/72V 40AH
 Input voltage: AC100V-250V 50/60Hz DC 67.2V 4A
 Drive mode: Dual drive
 Maximum speed: 100KG (speed 80KM/H) 70KG (speed 90KM/H)
 Product material: 6063 aluminum alloy
 Brake system: XOD oil brake
 Charging time: Standard battery 13 hours

Maximum range: Dual drive 70KM, single drive 120KM (flat road, 70KG)
 Steep slope ability: 30°
 Tires: 13-inch road tires
 Ambient light: Pedal with colorful ambient light
 Shock absorption: Front hydraulic shock absorption, rear spring
 Screen: LED screen + finger hook
 Detailed dimensions: Body: 1450 * 580 * 1320
 Folded: 1470 * 280 * 500
 Packaging: 1550 * 320 * 700 MM
 Packing list: Folding skateboard * 1! Ordinary charger * 2
 Instruction manual * 1!

AL-MUHAJIR

ORDERING & INFORMATION

معلومات الطلب والتواصل

PRICES

All displayed prices are in USD per unit. Each configuration has its own price. Freight, customs clearance and local charges are quoted separately.

PRICE CONFIRMATION

Source price list validity ended on 30 August 2026. Prices and availability must be reconfirmed before order acceptance.

SPECIFICATIONS

Technical data and images are reproduced from the supplied product file. Configuration details identify the offered battery or equipment option. General platform specifications may describe multiple options; confirm the selected specification when ordering.

MODEL YEAR

The source does not specify a manufacturing year. Catalogue edition: October 2026.

TO ORDER

Send the model code, selected configuration and quantity to AL-MUHAJIR for confirmation.

نابلس - فلسطين

Nablus - Main road between Deir Sharaf and Qusin

www.almuhajir.co